Table 16B 2003 Pediatric Nutrition Surveillance (1) Stanislaus

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 050

| | G | rowth Inc | licators by | Race/Ethn | icity and A | ge ⁽³⁾ | | | |
|--------------------------------|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 1,157 | 4.6 | 1,157 | 11.8 | 1,157 | 10.3 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 577 | 6.6 | 577 | 6.8 | 577 | 19.9 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 1,043 | 3.7 | 1,043 | 5.8 | 1,043 | 15.8 | 1,043 | 15.7 | 15.8 |
| Total | 2,777 | 4.7 | 2,777 | 8.5 | 2,777 | 14.4 | 1,043 | 15.7 | 15.8 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 155 | 8.4 | 155 | 12.9 | 155 | 11.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 94 | * | 94 | * | 94 | * | 0 | * | * |
| 24 - 59 Months | 176 | 4.0 | 176 | 5.1 | 176 | 12.5 | 176 | 10.8 | 12.5 |
| Total | 425 | 5.2 | 425 | 7.8 | 425 | 13.9 | 176 | 10.8 | 12.5 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 4,021 | 4.7 | 4,021 | 10.4 | 4,021 | 10.0 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 2,138 | 3.9 | 2,138 | 4.9 | 2,138 | 19.6 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 3,935 | 3.2 | 3,935 | 5.1 | 3,935 | 17.8 | 3,935 | 14.8 | 17.8 |
| Total | 10,094 | 4.0 | 10,094 | 7.2 | 10,094 | 15.1 | 3,935 | 14.8 | 17.8 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 11 | * | 11 | * | 11 | * | 0 | * | * |
| 12 - 23 Months | 7 | * | 7 | * | 7 | * | 0 | * | * |
| 24 - 59 Months | 7 | * | 7 | * | 7 | * | 7 | * | * |
| Total | 25 | * | 25 | * | 25 | * | 7 | * | * |



Page:

Run Date:

6/10/2004

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B 2003 Pediatric Nutrition Surveillance (1) Stanislaus

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 050

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | | | |
|---|----------------------|-----------|-----------------|-----------|----------------|------------|------------------------|-------------------|------------|--|--|--|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | | | | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th | | | |
| Asian/Pacific Islander | | | | | | | | | | | | |
| 0 - 11 Months | 112 | 9.8 | 112 | 10.7 | 112 | 10.7 | 0 | 0.0 | 0.0 | | | |
| 12 - 23 Months | 66 | * | 66 | * | 66 | * | 0 | * | * | | | |
| 24 - 59 Months | 131 | 4.6 | 131 | 9.2 | 131 | 13.7 | 131 | 16.8 | 13.7 | | | |
| Total | 309 | 7.1 | 309 | 8.4 | 309 | 14.9 | 131 | 16.8 | 13.7 | | | |
| All Other/Unknown | | | | | | | | | | | | |
| 0 - 11 Months | 399 | 4.8 | 399 | 9.3 | 399 | 12.8 | 0 | 0.0 | 0.0 | | | |
| 12 - 23 Months | 226 | 4.0 | 226 | 9.3 | 226 | 17.3 | 0 | 0.0 | 0.0 | | | |
| 24 - 59 Months | 331 | 3.3 | 331 | 6.6 | 331 | 16.6 | 331 | 13.6 | 16.6 | | | |
| Total | 956 | 4.1 | 956 | 8.4 | 956 | 15.2 | 331 | 13.6 | 16.6 | | | |
| Total All Race/Ethnic Groups | | | | | | | | | | | | |
| 0 - 11 Months | 5,855 | 4.9 | 5,855 | 10.7 | 5,855 | 10.3 | 0 | 0.0 | 0.0 | | | |
| 12 - 23 Months | 3,108 | 4.4 | 3,108 | 5.6 | 3,108 | 19.6 | 0 | 0.0 | 0.0 | | | |
| 24 - 59 Months | 5,623 | 3.3 | 5,623 | 5.4 | 5,623 | 17.1 | 5,623 | 14.8 | 17.1 | | | |
| Total | 14,586 | 4.2 | 14,586 | 7.6 | 14,586 | 14.9 | 5,623 | 14.8 | 17.1 | | | |



Page:

Run Date:

2

6/10/2004

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

6/10/2004

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) State: County: 050

| | Growth Indi | cators by | Race/Ethnic | city and A | .ge (3) | | | |
|---------------------|-------------|----------------------|-------------|-----------------|---------|-------------------|------------|--|
| | | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th | |
| White, Not Hispanic | | | | | | | | |
| 5 - 8 Years | 625 | 4.8 | 625 | 4.5 | 625 | 16.3 | 16.3 | |
| 9 - 11 Years | 273 | 6.6 | 273 | 2.9 | 273 | 18.3 | 24.9 | |
| 12 - 14 years | 331 | 7.6 | 331 | 0.9 | 331 | 24.5 | 25.1 | |
| 15 - 19 Years | 189 | 8.5 | 189 | 1.6 | 189 | 24.9 | 22.8 | |
| Total | 1,418 | 6.3 | 1,418 | 3.0 | 1,418 | 19.7 | 20.9 | |
| Black, Not Hispanic | | | | | | | | |
| 5 - 8 Years | 112 | 3.6 | 112 | 2.7 | 112 | 14.3 | 15.2 | |
| 9 - 11 Years | 62 | * | 62 | * | 62 | * | * | |
| 12 - 14 years | 78 | * | 78 | * | 78 | * | * | |
| 15 - 19 Years | 47 | * | 47 | * | 47 | * | * | |
| Total | 299 | 3.7 | 299 | 1.7 | 299 | 17.7 | 20.4 | |
| Hispanic | | | | | | | | |
| 5 - 8 Years | 2,018 | 4.3 | 2,018 | 2.7 | 2,018 | 17.9 | 20.2 | |
| 9 - 11 Years | 841 | 5.6 | 841 | 1.5 | 841 | 19.3 | 27.9 | |
| 12 - 14 years | 608 | 6.9 | 608 | 1.6 | 608 | 19.7 | 28.5 | |
| 15 - 19 Years | 418 | 11.0 | 418 | 2.2 | 418 | 18.4 | 23.9 | |
| Total | 3,885 | 5.7 | 3,885 | 2.2 | 3,885 | 18.5 | 23.6 | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

6/10/2004

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) County: 050 State:

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | |
|---|---------|-----------|--------------------|-----------|----------------|-------------------|------------|--|--|--|
| | Short S | | Underweight (5) | | Overweight (5) | | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th | | | |
| American Indian/Alaskan Native | | | | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * | | | |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * | | | |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * | | | |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * | | | |
| Total | 9 | * | 9 | * | 9 | * | * | | | |
| Asian/Pacific Islander | | | | | | | | | | |
| 5 - 8 Years | 85 | * | 85 | * | 85 | * | * | | | |
| 9 - 11 Years | 76 | * | 76 | * | 76 | * | * | | | |
| 12 - 14 years | 103 | 14.6 | 103 | 1.9 | 103 | 23.3 | 11.7 | | | |
| 15 - 19 Years | 112 | 12.5 | 112 | 4.5 | 112 | 8.0 | 15.2 | | | |
| Total | 376 | 13.3 | 376 | 4.0 | 376 | 13.6 | 16.0 | | | |
| All Other/Unknown | | | | | | | | | | |
| 5 - 8 Years | 154 | 3.9 | 154 | 2.6 | 154 | 13.6 | 20.8 | | | |
| 9 - 11 Years | 87 | * | 87 | * | 87 | * | * | | | |
| 12 - 14 years | 96 | * | 96 | * | 96 | * | * | | | |
| 15 - 19 Years | 43 | * | 43 | * | 43 | * | * | | | |
| Total | 380 | 5.5 | 380 | 2.6 | 380 | 14.7 | 26.8 | | | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

6/10/2004

Growth Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

California Standard Year (School Age Coding) State: County: 050

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | | | | |
|---|----------|----------------------|--------|--------------------|--------|-------------------|------------|--|--|--|
| | Short St | Short Stature (4) | | Underweight (5) | | Overweight (5) | | | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th | | | |
| Total All Race/Ethnic Groups | | | | | | | | | | |
| 5 - 8 Years | 3,000 | 4.6 | 3,000 | 3.3 | 3,000 | 17.0 | 19.2 | | | |
| 9 - 11 Years | 1,341 | 6.2 | 1,341 | 2.1 | 1,341 | 18.4 | 26.7 | | | |
| 12 - 14 years | 1,217 | 7.6 | 1,217 | 1.5 | 1,217 | 21.3 | 25.8 | | | |
| 15 - 19 Years | 809 | 9.9 | 809 | 2.1 | 809 | 18.0 | 23.1 | | | |
| Total | 6,367 | 6.2 | 6,367 | 2.5 | 6,367 | 18.2 | 22.5 | | | |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.
(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.